Author Index of Volume 155

Biographic notes about the authors concerned can be found on p. 225 and p. 395.

Alliston-Greiner, A. F. A., 269
Alpas, A. T., 83
Arikan, R., 105

Bahadur, S., 49
Bujurke, N. M., 7

Chang, Y.-A., 285
Chen, Z. K., 353
Chiou, Y.-C., 285
Cholakov, G. S., 331

Danno, A., 183
Ding, C., 309

Earmme, Y. Y., 117

Fayeulle, S., 317
Geng, G. Q., 137, 149
Gnanaraj, D. S., 73
Greenwood, J. A., 269

Hisakado, T., 251, 297

Jinn, J. T., 117

Kapoor, A., 49, 229
Kawamura, M., 183
Kitamura, K., 183
Kluge, A., 343
Kuo, W.-F., 285

Langguth, K., 343
Lee, K. S., 117
Lee, R.-T., 285
Levy, A. V., 137, 149
Liu, J. J., 63
Liu, M.-J., 277
Lundberg, J., 31

Marappan, R., 15
Matveevsky, R. M., 1
Mitchell, D. R. G., 207
Mohanram, P. V., 15
Murphy, S., 105

Ohmori, T., 183

Pathak, J. P., 37, 229
Patil, H. P., 7

Ramamohana Rao, A., 15
Raman, R., 73
Rowe, G. W., 331
Ryssel, H., 343

Saka, N., 163
Schumacher, R., 389
Srivastav, A., 229
Stott, F. H., 207
Subramanian, C., 193
Suda, H., 251, 297

Tain, H., 163
Tan, Q.-C., 277
Tang, B.-J., 277
Tiwari, S. N., 37
Tong, Z., 309
Tsukui, T., 297

Vincent, L., 317

Wan, G. T. Y., 381
Wang, B. Q., 137, 149
Watanabe, H., 251
Watanabe, Y., 237
Williams, J. A., 363

Xie, Y., 363
Xin, D., 277

Yan, D., 309

Zhang, J., 83
Zhang, X. H., 63
Zhou, Z.-R., 317
Zhu, B. L., 63

Subject Index of Volume 155

Abrasive grains
effects of dislodgment and size of abrasive grains on abrasive wear, 297
Abrasive wear
effects of dislodgment and size of abrasive grains on abrasive wear, 297
Alloys
cracking behaviour of various aluminium alloys during fretting wear, 317
effect of SiC particulate reinforcement on the dry sliding wear of aluminum–silicon alloys (A356), 83
on the mechanical and wear properties of copper–lead bearing alloys, 37
Aluminium
a metallographic study of wear in planar-random fibre-reinforced composites with an Al/Zn/Cu alloy matrix, 105
cracking behaviour of various aluminium alloys during fretting wear, 317
effect of SiC particulate reinforcement on the dry sliding wear of aluminum–silicon alloys (A356), 83
the role of MoS_2 in hard overlay coatings of Al_2O_3 in dry sliding, 229

Bearings
experimental studies on wear in oil-impregnated sintered bearings, 73
on the mechanical and wear properties of copper–lead bearing alloys, 37
performance studies on treated steels as substitutes for conventional bearing materials, 15
Brush-plating
a study of the wear resistance and microstructure of Pb–Sn and Pb–Sn–Ni brush-plating layers, 63

Calcium
effect of calcium sulfate particles on corrosion and erosion–corrosion of carbon steel, 149
Calcium sulfate
effect of calcium sulfate particles on corrosion and erosion–corrosion of carbon steel, 149
Carbon
effect of calcium sulfate particles on corrosion and erosion–corrosion of carbon steel, 149
sliding contact characteristics between composite materials containing layered solid lubricants and carbon, 237
Ceramics
a fracture model for wear mechanism in plasma sprayed ceramic coating materials, 309
the friction and wear mechanisms between ceramics and metals, 251
Coated materials
finite element analysis of subsurface crack on the interface of a coated material under a moving compressive load, 117
Coatings
impact wear of electroplated coatings, 353
Composites
sliding contact characteristics between composite materials containing layered solid lubricants and carbon, 237
Compressive loads
finite element analysis of subsurface crack on the interface of a coated material under a moving compressive load, 117
Copper
a metallographic study of wear in planar-random fibre-reinforced composites with an Al/Zn/Cu alloy matrix, 105
Corrosion
effect of calcium sulfate particles on corrosion and erosion–corrosion of carbon steel, 149
erosion-corrosion of 1018 steel eroded at low velocities by CFBC bed material, 137
Cracking
cracking behaviour of various aluminium alloys during fretting wear, 317
finite element analysis of subsurface crack on the interface of a coated

material under a moving compressive load, 117

Dry sliding
effect of SiC particulate reinforcement on the dry sliding wear of aluminium-silicon alloys (A356), 83
the role of MoS_2 in hard overlay coatings of Al_2O_3 in dry sliding, 229

Electroplating
impact wear of electroplated coatings, 353
Erosion
effect of calcium sulfate particles on corrosion and erosion–corrosion of carbon steel, 149
erosion-corrosion of 1018 steel eroded at low velocities by CFBC bed material, 137

Fatigue
the performance of one organic phosphonate additive in rolling-contact fatigue, 381
Ferrograms
a new method of preparing ferrograms, 277
Fibre-reinforced composites
a metallographic study of wear in planar-random fibre-reinforced composites with an Al/Zn/Cu alloy matrix, 105
Finite element analysis
finite element analysis of subsurface crack on the interface of a coated material under a moving compressive load, 117
Fluidized bed combustion
erosion–corrosion of 1018 steel eroded at low velocities by CFBC bed material, 137
Fluorine
the effect of ZnF_2, ZnS and PbS fillers on the tribological behavior of nylon 11, 49
Four-ball tribometer tests
lubricating properties of grinding fluids II. Comparison of fluids in four-ball tribometer tests, 331
Fracture
a fracture model for wear mechanism in plasma sprayed ceramic coating materials, 309

Fretting
cracking behaviour of various aluminium alloys during fretting wear, 317
surface temperatures in a fretting contact, 269
Friction
correlation between a static oxidation test of lubricating oils and their thermal stability under conditions of friction, 389
friction power as a criterion of seizure with sliding lubricated contact, 1
the friction and wear mechanisms between ceramics and metals, 251

Grinding fluids
lubricating properties of grinding fluids II. Comparison of fluids in four-ball tribometer tests, 331

Hardoverlay coatings
the role of MoS_2 in hard overlay coatings of Al_2O_3 in dry sliding, 229

Improved rotary ferrographic analyser
fundamental characteristics of wear particle deposition by an improved rotary ferrographic analyser, 285
Interfaces
finite element analysis of subsurface crack on the interface of a coated material under a moving compressive load, 117

Lead
a study of the wear resistance and microstructure of Pb–Sn and Pb–Sn–Ni brush-plating layers, 63
on the mechanical and wear properties of copper–lead bearing alloys, 37
the effect of ZnF_2, ZnS and PbS fillers on the tribological behavior of nylon 11, 49
Lubrication
correlation between a static oxidation test of lubricating oils and their thermal stability under conditions of friction, 389
lubricating properties of grinding fluids II. Comparison of fluids in four-ball tribometer tests, 331
sliding contact characteristics between composite materials containing layered solid lubricants and carbon, 237

viscosity dependence on squeeze/sliding lubrication, 31
Lubrication oils
correlation between a static oxidation test of lubricating oils and their thermal stability under conditions of friction, 389

Metals
the friction and wear mechanisms between ceramics and metals, 251
Molybdenum
the role of MoS_2 in hard overlay coatings of Al_2O_3 in dry sliding, 229

Nickel
a study of the wear resistance and microstructure of Pb–Sn and Pb–Sn–Ni brush-plating layers, 63
Nylon 11
the effect of ZnF_2, ZnS and PbS fillers on the tribological behavior of nylon 11, 49

Oil impregnation
experimental studies on wear in oil-impregnated sintered bearings, 73
Organic phosphonate additives
the performance of one organic phosphonate additive in rolling-contact fatigue, 381
Oxygen
correlation between a static oxidation test of lubricating oils and their thermal stability under conditions of friction, 389
the role of MoS_2 in hard overlay coatings of Al_2O_3 in dry sliding, 229
wear of steels after implantation of oxygen ions or oxidation at 670 K, 343

Parallel grooves
the generation of wear surfaces by the interaction of parallel grooves, 363
Particle deposition
fundamental characteristics of wear particle deposition by an improved rotary ferrographic analyser, 285
Plasma spraying
a fracture model for wear mechanism in plasma sprayed ceramic coating materials, 309
Porous bearings
the effect of variable permeability and rotation on the performance characteristics of porous bearings, 7

Rolling-contact
the performance of one organic phosphonate additive in rolling-contact fatigue, 381
Rotation
the effect of variable permeability and rotation on the performance characteristics of porous bearings, 7

Silicon
effect of SiC particulate reinforcement on the dry sliding wear of aluminum–silicon alloys (A356), 83
Silicon carbide
effect of SiC particulate reinforcement on the dry sliding wear of aluminium–silicon alloys (A356), 83
Sliding contact
sliding contact characteristics between composite materials containing layered solid lubricants and carbon, 237
Sliding lubrication
friction power as a criterion of seizure with sliding lubricated contact, 1
viscosity dependence on squeeze/sliding lubrication, 31
Squeeze lubrication
viscosity dependence on squeeze/sliding lubrication, 31
Static oxidation test
correlation between a static oxidation test of lubricating oils and their thermal stability under conditions of friction, 389
Steels
effect of calcium sulfate particles on corrosion and erosion–corrosion of carbon steel, 149
erosion–corrosion of 1018 steel eroded at low velocities by CFBC bed material, 137
performance studies on treated steels as substitutes for conventional bearing materials, 15
wear of steels after implantation of oxygen ions or oxidation at 670 K, 343
Sulphur
the effect of ZnF_2, ZnS and PbS fillers on the tribological behavior of nylon 11, 49
the role of MoS_2 in hard overlay coatings of Al_2O_3 in dry sliding, 229

Thermal stability
correlation between a static oxidation test of lubricating oils and their ther-

mal stability under conditions of friction, 389
Tin
a study of the wear resistance and microstructure of Pb–Sn and Pb–Sn–Ni brush-plating layers, 63
Tribology
the effect of ZnF_2, ZnS and PbS fillers on the tribological behavior of nylon 11, 49

Variable permeability
the effect of variable permeability and rotation on the performance characteristics of porous bearings, 7
Viscosity
viscosity dependence on squeeze/sliding lubrication, 31

Wear
experimental studies on wear in oil-impregnated sintered bearings, 73
a fracture model for wear mechanism in plasma sprayed ceramic coating materials, 309
a metallographic study of wear in planar-random fibre-reinforced composites with an Al/Zn/Cu alloy matrix, 105
cracking behaviour of various aluminium alloys during fretting wear, 317
effects of dislodgment and size of abrasive grains on abrasive wear, 297
fundamental characteristics of wear particle deposition by an improved rotary ferrographic analyser, 285
impact wear of electroplated coatings, 353
on the mechanical and wear properties of copper–lead bearing alloys, 37
the friction and wear mechanisms between ceramics and metals, 251
the generation of wear surfaces by the interaction of parallel grooves, 363
wear of steels after implantation of oxygen ions or oxidation at 670 K, 343
Wear resistance
a study of the wear resistance and microstructure of Pb–Sn and Pb–Sn–Ni brush-plating layers, 63

Zinc
a metallographic study of wear in planar-random fibre-reinforced composites with an Al/Zn/Cu alloy matrix, 105
the effect of ZnF_2, ZnS and PbS fillers on the tribological behavior of nylon 11, 49